



AUTOMOTIVE • PLUMBING • MARINE • HVAC • SIGNAGE • HEAVY-DUTY TRUCK

Cambridge Clamps. Hot.

Standard Hose Clamps

**SERIES
2000**

1/2"
BAND

All
Stainless
Steel
Design

**SERIES
2300**

1/2"
BAND

Stainless Steel
Band & Housing,
Zinc Plated
Screw

**SERIES
2500**

1/2"
BAND

Stainless Steel
Band,
Zinc Plated
Housing & Screw

**SERIES
3300**

9/16"
BAND

Stainless Steel
Band & Housing,
Zinc Plated
Screw



SAE SIZE	CAMBRIDGE NUMBER	CAMBRIDGE NUMBER	CAMBRIDGE NUMBER	CAMBRIDGE NUMBER	MINIMUM INCHES (mm)	MAXIMUM INCHES (mm)	BOX QTY.	MASTER CTN. QTY.
6	HC2-6S	HC2-6P	HC2-6E	HC3-6P	7/16" (11)	25/32" (20)	10	1000
8	HC2-8S	HC2-8P	HC2-8E	HC3-8P	1/2" (13)	29/32" (23)	10	1000
10	HC2-10S	HC2-10P	HC2-10E	HC3-10P	9/16" (14)	1-1/16" (27)	10	1000
12	HC2-12S	HC2-12P	HC2-12E	HC3-12P	11/16" (17)	1-1/4" (32)	10	500
16	HC2-16S	HC2-16P	HC2-16E	HC3-16P	13/16" (21)	1-1/2" (38)	10	500
20	HC2-20S	HC2-20P	HC2-20E	HC3-20P	13/16" (21)	1-3/4" (44)	10	500
24	HC2-24S	HC2-24P	HC2-24E	HC3-24P	1-1/16" (27)	2" (51)	10	500
28	HC2-28S	HC2-28P	HC2-28E	HC3-28P	1-5/16" (33)	2-1/4" (57)	10	500
32	HC2-32S	HC2-32P	HC2-32E	HC3-32P	1-9/16" (40)	2-1/2" (64)	10	500
36	HC2-36S	HC2-36P	HC2-36E	HC3-36P	1-13/16" (46)	2-3/4" (70)	10	500
40	HC2-40S	HC2-40P	HC2-40E	HC3-40P	2-1/16" (52)	3" (76)	10	250
44	HC2-44S	HC2-44P	HC2-44E	HC3-44P	2-5/16" (59)	3-1/4" (83)	10	250
48	HC2-48S	HC2-48P	HC2-48E	HC3-48P	2-9/16" (65)	3-1/2" (89)	10	250
52	HC2-52S	HC2-52P	HC2-52E	HC3-52P	2-13/16" (71)	3-3/4" (95)	10	250
56	HC2-56S	HC2-56P	HC2-56E	HC3-56P	3-1/16" (78)	4" (102)	10	250
64	HC2-64S	HC2-64P	HC2-64E	HC3-64P	3-9/16" (90)	4-1/2" (114)	10	250
72	HC2-72S	HC2-72P	HC2-72E	HC3-72P	4-1/8" (105)	5" (127)	10	250
80	HC2-80S	HC2-80P	HC2-80E	HC3-80P	4-5/8" (117)	5-1/2" (140)	10	250
88	HC2-88S	HC2-88P	HC2-88E	HC3-88P	5-1/8" (133)	6" (152)	10	250
96	HC2-96S	HC2-96P	HC2-96E	HC3-96P	5-5/8" (143)	6-1/2" (165)	10	250
104	HC2-104S	HC2-104P	HC2-104E	HC3-104P	6-1/8" (159)	7" (178)	10	250

Mini & Fuel Injector Clamps, Couplings

MINI HOSE CLAMPS

**SERIES
1000**

**5/16"
BAND**

All
Stainless
Steel
Design

**SERIES
1300**

**5/16"
BAND**

Stainless Steel
Band & Housing,
Zinc Plated
Screw

**SERIES
1500**

**5/16"
BAND**

Stainless Steel
Band,
Zinc Plated
Housing & Screw



Cambridge mini hose clamps exceed 20 inch-pounds of torque.

Cambridge standard hose clamps exceed 60 inch-pounds of torque.

SAE SIZE	CAMBRIDGE NUMBER	CAMBRIDGE NUMBER	CAMBRIDGE NUMBER	MINIMUM INCHES (mm)	MAXIMUM INCHES (mm)	BOX QTY.	MASTER CARTON QTY.
4	HCM-4S	HCM-4P	HCM-4E	7/32" (6)	5/8" (16)	10	1000
6	HCM-6S	HCM-6P	HCM-6E	7/16" (11)	25/32" (20)	10	1000

FUEL INJECTOR CLAMPS

**SERIES
1100**

Zinc Plated,
Non-Perforated,
Rolled Edge Band
with Nut & Bolt
Tightening Design



SAE SIZE	CAMBRIDGE NUMBER	HOSE SIZE	BOX QTY.	MASTER CARTON QTY.
4	HCM-4F	1/4"	10	1000
6	HCM-6F	5/16"	10	1000
8	HCM-8F	3/8"	10	1000

NO-HUB COUPLINGS

301 Grade Stainless Steel Shield with Flexible Gasket.
1/2" Wide Hose Clamps with 301 Grade Stainless Steel Band Housing and Screw.
UPC Approved.



SAE SIZE	CAMBRIDGE NUMBER	DIAMETER	MASTER CARTON QTY.
28	NHC-112	1-1/2"	200
32	NHC-2	2"	200
48	NHC-3	3"	150
64	NHC-4	4"	100
72	NHC-5	5"	50
88	NHC-6	6"	50

Pinch Clamps and Crimping Tools

PINCH CLAMPS

- Cambridge pinch clamps are constructed of 100% 304 stainless steel.
- Precise tongue-in-groove seamless design provides smooth, inner band circumference for 360 degree inner seal
- Smooth edged bandsteel prevents damage to hose
- Lightweight, strong low-clearance design
- Unique design offers strength and greater durability
- Tamper evident design
- Custom open diameters available



Also see the Cambridge Pinch Clamp Kit on Page 7

PART NUMBER	MINIMUM DIAMETER (mm)	OPEN DIAMETER (mm)	WIDTH	THICKNESS	BAG QTY.	CASE QTY.
PEC716	.378" (9.6)	7/16" (11.3)	5 mm	.5 mm	100	10,000
PEC12	.425" (10.8)	1/2" (13.3)	7 mm	.6 mm	100	5,000
PEC916	.472" (12)	9/16" (14.5)	7 mm	.6 mm	100	5,000
PEC58	.52" (13.2)	5/8" (15.7)	7 mm	.6 mm	100	5,000
PEC2332	.602" (15.3)	23/32" (18.5)	7 mm	.6 mm	100	5,000
PEC78	.764" (19.4)	7/8" (22.6)	7 mm	.6 mm	100	5,000
PEC100	.882" (22.4)	1" (25.6)	7 mm	.6 mm	100	5,000
PEC118	1" (25.4)	1-1/8" (28.6)	7 mm	.6 mm	100	2,500
PEC114	1.118" (28.4)	1-1/4" (31.6)	7 mm	.6 mm	100	2,500
PEC112	1.236" (31.4)	1-1/2" (34.6)	7 mm	.6 mm	100	2,500

PINCH CLAMP CRIMPERS



CSC-101 Cambridge Standard Crimper

- Standard pincer for situations where radial access to clamp is not restricted
- Ideal crimping tool to fasten multiple sizes of stainless steel clamps
- Constructed of high quality carbon steel



CSC-102 Cambridge Ratchet Crimper

- Installs every standard pinch clamp, regardless of size
- Unique "tab" design provides crimping access to hard-to-reach spaces
- No gauging or tool calibration necessary
- Fully compliant with ASTM F-2098 specifications

Vinyl Dipped & Flared Edge Clamps

VINYL DIPPED CLAMPS

PART NUMBER	CLAMPING DIAMETER (mm)	HOLE DIAMETER	WIDTH	CASE QTY.
VCC14	1/4" (6.35)	.281"	.5"	1000
VCC38	3/8" (9.53)	.281"	.5"	1000
VCC12	1/2" (12.7)	.281"	.5"	1000
VCC58	5/8" (15.88)	.281"	.5"	500
VCC34	3/4" (19.05)	.281"	.5"	500
VCC78	7/8" (22.25)	.281"	.5"	500
VCC1	1" (25.44)	.281"	.5"	500
VCC114	1-1/4" (31.75)	.281"	.5"	500
VCC112	1-1/2" (38.1)	.281"	.5"	250
VCC2	2" (50.8)	.281"	.5"	250
VCC112W	1-1/2" (38.1)	.406"	.75"	250
VCC2W	2" (50.8)	.406"	.75"	250
VCC212W	2-1/2" (63.5)	.406"	.75"	150
VCC3W	3" (76.2)	.406"	.75"	100



- Medium and heavy duty loop-type steel clamps.
- Round hole / slotted hole design.
- Galvanized steel clamp.
- 1/32" black vinyl.

FLARED EDGE CLAMPS

PART NUMBER	CLAMPING DIAMETER (mm)	HOLE DIAMETER	WIDTH	CASE QTY.
FEC12	1/2" (12.7)	.281"	.5"	500
FEC58	5/8" (15.88)	.281"	.5"	500
FEC34	3/4" (19.05)	.281"	.5"	500
FEC78	7/8" (22.25)	.281"	.5"	500
FEC1	1" (25.44)	.281"	.5"	500



View of flared edges with vinyl coating removed.




- Lighter duty clamps with flared edges to prevent abrasion from steel.
- Round hole / slotted hole design.
- Galvanized steel clamp.
- 1/32" black vinyl.

Duct Clamps & Heavy Duty Clamps

QUICK-RELEASE DUCT CLAMPS

PART NUMBER	SAE SIZE	DIAMETER RANGE	CASE QTY.
QR-104PB	104	1-3/4" – 7"	100
QR-128PB	128	1-3/4" – 8-1/2"	100
QR-152PB	152	1-3/4" – 10"	100
QR-188PB	188	1-3/4" – 12-1/4"	100
QR-232PB	232	1-3/4" – 15"	100
QR-258PB	258	1-3/4" – 16-1/4"	100
QR-288PB	288	1-3/4" – 18-1/2"	100
QR-312PB	312	1-3/4" – 20"	100



- High quality 1/2" stainless steel band
- Fast and easy, no hassle installation and removal.
- Zinc-plated screw.
- Also available in 9/16" wide band.

HEAVY DUTY T-BOLT CLAMPS

PART NUMBER	SAE SIZE	MINIMUM INCHES (mm)	MAXIMUM INCHES (mm)	CASE QTY.
STB-44P	44	2-1/4" (57.2)	2-9/16" (65)	500
STB-72P	72	3-1/8" (79.5)	3-7/16" (87.4)	250
STB-88P	88	3-5/8" (92.2)	3-15/16" (100.1)	250
STB-116P	116	4-1/2" (114.3)	4-13/16" (122.2)	200
STB-148P	148	5-1/2" (139.7)	5-13/16" (147.6)	200



- Ideal for heavy trucks and industrial machinery.
- Uniform pressure creates reliable seal.
- 3/4" stainless steel band.
- Bolt, nut, and trunnion are all constructed of plated steel.

SPECIALTY CLAMPS

Cambridge Resources boasts a dedicated team of product specialists and engineers that can assist you in meeting the requirements of any specific clamp product. Please contact a sales representative to discuss the details of your custom application.

Carded Retail Hose Clamps & Clamp Kit

RETAIL
1/2"
BAND

Stainless Steel Band
and Housing, Featuring
Zinc Plated Screw

CARDED RETAIL HOSE CLAMPS



SAE SIZE	CAMBRIDGE NUMBER	MINIMUM INCHES (mm)	MAXIMUM INCHES (mm)	PACK QTY.
4	AC-4	7/32" (6)	5/8" (16)	4
6	AC-6	7/16" (11)	25/32" (20)	4
12	AC-12	11/16" (17)	1-1/4" (32)	2
20	AC-20	13/16" (21)	1-3/4" (44)	2
28	AC-28	1-5/16" (33)	2-1/4" (57)	2
32	AC-32	1-9/16" (40)	2-1/2" (64)	2
36	AC-36	1-13/16" (46)	2-3/4" (70)	2

CAMBRIDGE CLAMPS COUNTER TOP DISPLAY

CCDU-101 Conveniently displays an assortment
of Cambridge hose clamps



CAMBRIDGE PINCH CLAMP KIT

CPCK-101 Plastic kit box includes standard crimping tool
and 105 stainless steel pinch clamps:

- 15 clamps, Cambridge no. PEC12
- 15 clamps, Cambridge no. PEC916
- 15 clamps, Cambridge no. PEC58
- 15 clamps, Cambridge no. PEC2332
- 15 clamps, Cambridge no. PEC78
- 10 clamps, Cambridge no. PEC100
- 10 clamps, Cambridge no. PEC118
- 10 clamps, Cambridge no. PEC114
- 10 clamps, Cambridge no. PEC112





Cambridge Resources is proud to offer a full line of standard and specialty hose clamps.

Cambridge has raised the industry standard for precision and quality. Our unique Quality Assurance process includes individual testing of each and every clamp at point of manufacture. This attention to detail ensures that Cambridge products meet or exceed end-use requirements.

Cambridge clamps are available in a wide variety of styles and sizes, and we are continually expanding our product line. In addition, our team of engineers will work closely with you to develop a custom clamp to meet the requirements of your specific application.

For more information, please contact your Cambridge sales representative or call us at **1-877-922-2538**.

© 2009 Cambridge Resources

AGRICULTURE • MINING • FORESTRY • MEDICAL • WELDING • FARMING

960 Alabama Avenue, Brooklyn NY 11207
T 877-922-2538 / F 718-485-4403
www.cambridgeresources.com

